Author Index

Page numbers in italics refer to authors of books reviewed

Adell, J. C., 39–46
Agulnik, S. I., 265–267
Al-Mayhrabi, A., 287
Alvarez, M. C., 151–155
Amores, A., 151–155
Anamthawat-Jónsson, K., 385–392
Andersson, S., 51–57
Ardaillon, D. S., 285
Arney, M., 286
Arnold, M. L., 297–305
Austin, S., 287

Baird, E., 99–107
Barbotin, J. N., 286
Beiles, A., 307–320
Bennett, B. D., 297–305
Berman, M., 401–406
Berry, F., 286
Bianchi, M. M., 287
Borodin, P. M., 265–267
Boyle, T., 393–399
Bradshaw, J. E., 279
Bradshaw, T. K., 287
Brehm, A., 269–275
Breyne, P., 284
Briasco, C., 286
Bron, S., 280–281, 286
Brown, M. R. W., 287
Butlin, R. K., 47–50

Caldenhouen, E., 287
Caligari, P. D. S., 279
Cano, M. I., 419–422
Cawston, D., 278
Chmiel, A., 285
Cierniewski, C., 285
Civetta, A., 59–66
Cladera, J. L., 59–66
Cole, J., 281
Comps, B., 407–417
Cook, L. M., 423–427
Cornish, M. A., 201–211, 213–220
Cowie, R. H., 123–126
Cullum, J., 281

Danilenko, V., 286
Davis, M., 287
Day, T. H., 91–97
Dein, C., 281
Depicker, A., 284
Duncousso, A., 179–188

Eaves, L., 277
Ehrendorfer, F., 11–20, 369–378
Ehrlich, F. D., 287
Ellis, R. P., 115–122, 259–264, 278

Fernández-Calvín, B., 455–463
Fernández-Piqueras, J., 7–10
Fisher, B. P., 278
Forster, B. P., 99–107, 115–122
Friedlin, E., 285
Frontali, L., 287
Fulker, D. W., 277

Galwey, N. W., 249–257
Garcia, P., 21–28
Garcia-Rodriguez, J., 7–10
Gerdes, K., 279–280, 286
Gheysen, G., 284
Gibson, J. B., 1–6
Giles, V., 151–155
Gillespie, R. G., 67–74
Gleave, A. P., 287
González-Candelas, F., 39–46
Gorlov, I. P., 265–267
Gosálvez, J., 157–162
Gowland, P., 285
Gowland, P. C., 285
Greaux, J., 321–327
Gross, T. S., 285
Grubver, F., 285
Grudzien, T. A., 29–38

Haima, P., 280–281, 286
Hamrick, J. L., 297–305
Harford, N., 283
Hazel, W. N., 109–114, 449–454
Hedrick, P. W., 145–149, 343–347
Heikkinen, E., 435–447
Heslop-Harrison, J. S., 385–392
Hinchliffe, E., 285
Holsappel, S., 280–281, 286
Hopper, S. D., 189–199
Hori, K., 307–320
Huang, J., 286

Ishikawa, R., 75–79
Iwatsuki, K., 221–227

James, S. H., 189–199
Janniere, L., 287
Jensen, M. D., 285
Jiang, C., 1–6
Joh, K., 307–320
Johnson, M. S., 449–454
Jorde, P. E., 429–433
Jouve, N., 21–28
Juan, C., 157–162

Kearns, P. W. E., 229–240
Kearsey, M., 277
Kearsey, S., 283
Keil, H., 287
Keil, S., 287
Keränen, S., 285
Keshavarz, T., 286
Kingsman, S., 278
Kipling, D., 283
Knowles, J., 285
Korol, A. B., 379–383
Krimbas, C. B., 269–275
Kubicek, C. P., 285
Kumar, V., 285

Ladygina, T. Yu., 265–267
Lambertsson, A., 51–57
Laub, R., 285
Law, C. N., 278–279
Leanza, C. A., 59–66
Leitch, A. R., 385–392
Letouzey, J., 407–417
Levin, D. A., 81–89
Liengsiri, C., 393–399
Lilly, M., 287
Loidl, J., 11–20
Luckinbill, L. S., 29–38
Lumme, J., 435–447

Macaulay, M., 115–122
McDermott, P. J., 285
McFarlane, R. J., 287
McNicol, J., 115–122
Marchi, A., 135–142
Martinussen, J., 279–280, 286
Mason, C. A., 282
Masson, M-J., 285
Mather, K., 127–133
Meijer, W. J. J., 280
Merzeau, D., 407–417
Mezzanotte, R., 135–142
Miller, T. E., 99–107
Minton, N. P., 287
Molina, V., 39–46
Morishima, H., 75–79
Motallebi-Veshareh, M., 287
Mountain, A., 287
Mousley, C. G., 287
Moya, A., 39–46
Müller, A., 284

Nasri, M., 280
Neijssel, O. M., 285
Nevo, E., 307–320
Nudel, C. B., 285

O'Donald, P., 229–240
Oliver, S. G., 282
Orellana, J., 455–463
Oskam, L., 280–281, 286
Owen, R. E., 241–248

Packer, L., 241–248
Pak, S. D., 265–267
Paule, L., 407–417
Peeters, B., 280–281, 286
Peijen, Ad., 286
Peijnenburg, Ad., 280–281
Petitpierre, E., 157–162
Pettit, D., 179–188
Phillips, M. S., 99–107
Piewluang, C., 393–399
Pinsker, W., 369–378
Pitafi, K. D., 91–97
Plucienniczak, A., 285
Pooni, H., 278
Possidente, B., 321–327
Possidente, D. R., 321–327
Powell, W., 99–107, 115–122, 259–264, 278, 329–341
Pühler, A., 286

Ramsay, G., 329–341
Reed, D., 1–6
Relano, P., 286
Renno, D. V., 285
Rhine, S., 29–38
Richards, H., 287
Riha, V., 29–38
Ritland, K., 289–296, 343–347
Roff, D. A., 163–168, 169–177
Rörig, W., 281
Rowell, I., 287
Ryman, N., 429–433

Saidman, B. O., 59–66
Sampson, J. F., 189–199
Samuel, R., 369–378
Santos, J., 7–10, 419–422
Sato, Y-I., 75–79
Sayadi, S., 286
Schwab, H., 281
Schwarzacher, T., 385–392
Schweizer, D., 11–20
Searle, J. B., 359–367

Sentis, C., 7–10
Shirlin, A. J., 249–257
Simchen, G., 278
Simpson, R., 91–97
Smit, E., 287
Snape, J. W., 278–279
Soler, C., 21–28
Soltis, D. E., 289–296
Soltis, P. S., 289–296
Stephan, J. J., 91–97
Stephanson, J. R., 287
Stimson, J., 401–406
Storadubcesseor, L., 286
Strudsholm, K. B., 285
Suzuki, T., 221–227
Swinfield, T. J., 287

Tabashnik, B. E., 67–74
Tambini, C., 283
Teixeira de Mattos, M. J., 285
Thiébaut, B., 407–417
Thisted, T., 279–280, 286
Thode, G., 151–155
Thomas, Bill, 279
Thomas, C., 287
Thomas, C. M., 287
Thomas, D., 286
Thomas, W. T. B., 259–264
Tomlinson, I. P. M., 229–240

Vakeria, D., 285
Valero, M., 179–188
Van Delden, W., 349–357
van del Hondel, C. A. M. J. J., 283
Van der Lelie, D., 280
van de Ven, M., 329–341
Van Dijk, P., 349–357
van Elsas, J. D., 287
van Montagu, M., 284
van Sinderen, D., 286
Veltman, C. J., 229–240
Venema, G., 280
Vernet, P., 179–188
Vilardi, J. C., 59–66
Vizir, I. Yu., 379–383
Vosman, B., 285

Vribelarrea, J-L., 285

Wallace, B. M. N., 359–367
Ward, J., 287
Warns, A., 287
Watkins, L., 81–89
Waugh, R., 329–341
Weber, A., 285
Wilks, A. N., 1–6
Wohlleben, W., 286
Worland, A. J., 278–279
Wrigley-Jones, C. A., 287

Yarranton, G. T., 283–284

Species Index

Page numbers in italics refer to the subject of the papers

Acacia, *449–454*
  koa, 68
Achillea asplenifolium, 19
  collina, *11–20*
  millefolium, *11–20*
  setacea, 19
Adalia bipunctata, *229–240*
Aedes albopictus, 141
Aegilops spp. *sitopsis* section, *455–463*
  bicornis, *455–463*
  longissima, *455–463*
  searsii, *455–463*
  sharonensis, *455–463*
  speltoides, *455–463*
  squarrosa, 455, 460
  uniaristata, 460
Agropyron junceum, 104
Agrostis stolonifera, 179
  tenuis, 179
Allium oleraceum, 13
  sphaerocephalon, 13, 14, 17
  vineale, 17
Allonemobius fasciatus, 163, 175
Anopheles atroparvus, *135–142*
  labranchiae, *135–142*
  maculipennis, *135–142*
  stephensi, 141
Aphis fabae, 175
Arabidopsis, *379–383*
Arrhenatherum elatius, *179–188*
Artemia salina, 7
Asplenium, 289
  unilaterale, 221
Augochlorella striata, *241–248*
Avicennia, 425, 426
  alba, 424
  marina, 424

Battus philenor, 81, 110, 112
Blechnum spicant, 294, 295
Borago officinalis, *249–257*
Botrychium, 289
  virginianum, *289–296*
Brentus anchorago, 91
Broussaisia arguta, 68, 69, 73

Calamintha alpina, 369
Caledia, 297
  captiva, 302
Calotropis gigantea, 402, 405
Capsella bursa-pastoris, 376
Cavelerius saccharivorus, 175
Centris pallida, 91
Cepaea, 123, 126
  nemoralis, 423, 449
Ceratitis capitata, *59–66*
Ceratopteris, 106
Chauliognathus pennsylvanica, 91
Cheilanthes gracillima, 294, 295
Cheiranthus cheiri, 85
Cheirodendron trigynum, 68
Chorthippus parallelus, 176
Chrysanthemum sp., 355
Clarkia unguiculata, 85
Clermontia arborescens, 68
Coelopa frigida, *91–97*
Conocephalus nigropleurum, 91
Coprosma sp., 68
Coreopsis grandiflora, 376
Culiseta longiarelata, 141
Cynosurus cristatus, 85

Dactylis glomerata, 179, 354, 376, 377
Danaus plexippus, *401–406*
Daucus carota, 111
Dendrocoelum lacteum, 420, 421
Drosophila, 59, 91, 120, 262, 321
  americana, 436
  buzzatii, 65
  guanche, *269–276*
  lummei, *435–447*
  madeirensis, *269–276*
  mauritanica, 5
  melanogaster, *1–6*, *29–38*, *39–46*, *51–57*, *127–133*, 129, 131, 247, *321–327*, 420, 435
  montana, 435
  novamexicana, 436
  obscura, *269–275*
  similans, 5, 435
  subobscura, *269–275*
  subsilvestris, 274
  texana, 435
  virilis, *435–447*
Dryomyza anilis, 91
Dryopteris expansa, 293, 294

Echium plantagineum, 87
Ellobius, 364
Enchenopa binotata, 48
Enoplognatha ovata, 67
Equisetum arvense, 289
Eucalyptus, 297
  delegatus, 87
  regnans, 189, 191, 198
  rodantha, *189–199*
Eyprepocnemis plorans, *419–422*

Fagus sylvatica, 85, *407–417*
Fritillaria, 382, 419
Fucus serratus, 92
  vesiculosus, 92

Galium austriacum, *369–378*
  lucidum, 370
  pumilum, *369–378*
  pusillum, *369–378*
Geomys, 297
Gerris remigis, 175, 176
Glycine max, 106
Gobius paganellus, *151–155*
Gryllus bermudensis, 168
  firmus, *163–168*, *169–177*, 304
  pennsylvanicus, 304
  rubens, 163, 164, 168
Gymnaster savatieri, 355
Gymnocarpium dryopteris ssp. *disjunctum*, 295

Hedychium coronarium, 68, 69, 70, 73
Helianthus annuus, 85, 86, 187
Heuchera micrantha, 354
Hordeum bulbosum, *115–122*, *259–264*
  chilense, *99–107*

Hordeum (continued)
spontaneum, 106
vulgare, *99–107*, 116, 260
Horvathiolius gibbicollis, 175

Ilex anomolum, 68
Ilyodon furicidens, 151
Iris brevicaulis, *297–305*
fulva, *297–305*
hexagona, *297–305*
var. *giganti-caerulea*, 298
nelsonii, *297–305*

Javesella pellucida, 175

Lasioglossum zephyrum, 247
Lathyrus pratensis, 354
Leiothrix lutea, 68
Lilium, 382, 419
Limnoporus caniculatus, 175
Littoraria, 426
filosa, 426
intermedia, 424–426
pallescens, *423–427*
subvittata, 424
Lolium perenne, 18
temulentum, 18
Lonchura punctulata, 68
Lupinus nanus, 87
Lycopersicon chmielewskii, *330*
esculentum, 330

Menippe, 297
Metopolophium dirhodum, 175
Metrosideros polymorpha, 68
Musca domestica, 91
Mus musculus domesticus, 265, 364
musculus, *265–267*

Oenothera spp., 249
biennis, 249
lamarkiana, 249
organensis, 85
Opuntia ficus-indica, 65
Oryza sativa, 75, 78

Papilio brevicauda, 112
dardanus, 109
polyxenes, *109–114*
zelicaon, 113
Pelargonium capitatum, 450
Pelea spp., 68
Pellaea andromedifolia, 221
glabella, 226
Phaseolus, 115
Phlox drummondii, *81–89*, 376
Picea mariana, *393–399*
Pinus nigra, 369
ponderosa, 393
radiata, 419
silvestris, 369
Pithcellobium pediculare, 85
Pityohyphantes phrygianus, 67
Plantago camtschatica, 354
coronopus, 354, 355
lanceolata, 354
major, 354, 355
Plantago (continued)
maxima, 354
media, *349–357*
stepposa, 350
Plecia nearctica, 91
Polygala chamaebuxus, 369
Polystichum munitum, *289–296*
Primula vulgaris, 187
Pseudotsuga menziesii, 87
Pteris cretica, *221–227*
kidoi, 221, 222, 224, 226
Pycnogaster cucullata, *7–10*
finotii, 9
Pycnonotus, 402
cafer, 404
jocosus, 404
Pyrgomorpha conica, 160
Pyrrhocoris apterus, 176

Quercus, 376

Rana catesbeiana, 9
Relbunium spp., 376
Rhizophora, 425, 426
apiculata, 424

Scatophaga stercoraria, 91
Scilla autumnalis, 17, 18
Secale cereale, 85, 105, *386–392*
Senecio vulgaris, 87
Setobion avenae, 175
Soneratia alba, 424
Sorex araneus, *359–367*
Spalax ehrenbergi, *307–320*
Stephanomeria spp., 376

Tenebrio molitor, *157–162*
Tetragonium decumbencens, 450
Tetramolopodium spp., 376
Theba pisana, *123–126*, *449–454*
Theiridion grallator, *67–74*
Thinopyrum bessarabicum, 104, 105
Tolmiea menziesii, 354, 376, 377
Tragopogon dubius, 376
porrifolius, 376
pratensis, 376
Tribolium, 159
Triticosecale, *21–28*, *386–392*
Triticum aestivum, 18, *21–28*, 99, 104, *386–392*, 460, 461
durum, *386–392*
kotschyi, 18
monococcum, *386–392*, 455, 460, 461
turgidum, 460, 461
Tulbaghia, 419

Vaccinium corymbosum, 354
Vicia faba, *329–341*
galilaea, 330, 334
hyaeniscyamus, 330, 334
johannis, 330, 334
narbonensis, 330, 334

Warramaba virgo, 9

Xenopus, 9

Zea mays, 198
Zosterops japonica, 68

Subject Index

Adh thermostable alleles, molecular similarity of, 1–6
agamospory in a fern, 221–227
allele frequencies, variations in the pollen pool of a *Eucalyptus*, 189–199
allele frequency estimation, 429–433
allozymes in diploid and polyploid *Galium*, 369–378
allozyme variability in beechwoods, 407–417
  variation in a social bee, 241–248
analysis of viability data, 39–46
antagonistic pleiotropy and wing dimorphism in the sand cricket, 169–177
Antennapaedia phenotype in *Drosophila melanogaster*, genetic effects on, 321–327
association of genes and characters in rice hybrids, 75–79
autotetraploidy in *Plantago media*, 349–357

body colour in a land snail, *Theba pisana*, 123–126
borage, selection of, for pharmaceutical uses, 249–257

cell size and fertility in *Plantago media*, 349–357
character and gene association in rice hybrids, 75–79
chiasma formation, control of, in a grasshopper, 419–422
chromosomal polymorphism in *Gobius paganellus*, 151–155
chromosome constitution and meiosis in *Triticale*, 21–25
  pairing in an *Achillea* hybrid, 11–20
choice of microhabitat and polymorphism in snails, 449–454
colour polymorphism in a spider, 67–74
  in *Danaus plexippus*, 401–406
contrasting sites of black spruce, genetic structure of, 393–399

density in *Phlox* populations and outcrossing rates, 81–89
differences in chiasma frequency in a grasshopper, 419–422
diploid and polyploid populations of *Galium*, allozymes in, 369–378
DNA polymorphisms in mole-rats, 307–320
double haploid barley, effect of selection for isozyme and protein phenotypes in, 115–122

emergence time of host races, divergence in, 47–50
endonuclease banding in *Tenebrio molitor*, 157–162
estimation of allele frequency, 429–433
evolutionary process in species *Pycnogaster*, 7–10
evolution of longevity in *Drosophila melanogaster*, 29–38
  of the *obscura* group of *Drosophila*, 269–275
  of wing dimorphism in the sand cricket, 169–177

female size and mating success in seaweed flies, 91–97

gametic disequilibrium and multilocus estimation of selfing rates, 343–347
  selection in hybrid rice populations, 75–79
gene flow differential, effect on emergence time, 47–50
genes, effect of, on quantitatively varying characters in barley, 259–264
genetic background effects on *Antennapaedia*, 321–327
  diversity and experimental correlates in mole-rats, 307–320
  markers in *Vicia*, 329–341
genetics of a primatively social bee, 241–248
  of salt tolerance and vigour in barley, 99–107
genetic structure of black spruce, 393–399
genetic variation in *Arrhenatherum elatius*, 179–188
  in *Ceratitis capitata*, 59–66
  in Louisiana irises, 297–305
  in *Pteris cretica*, 221–227
genotypic-specific habitat selection, 145–149

habitat selection, estimation of, 145–149
heterochromatin variation in *Anopheles maculipennis*, 135–142
HMW glutenin in *Aegilops*, 455–463
host race divergence, 47–50
hybrid viability in *Drosophila*, 435–447

IB/IR translocations in hexaploid wheat, 385–392
introgression and hybrid speciation in irises, 297–305

joint estimation of selfing rates, 289–296

karyotype analysis in a beetle, 157–162

latent NOR's in *Pycnogaster*, 7–10
linkage disequilibrium in a social bee, 241–248
longevity, evolution of, in *Drosophila melanogaster*, 29–38

major genes, effects of quantitatively varying characters in barley, 259–264
mating choice in seaweed flies, 91–97
  in the two-spot ladybird, 229–240
meiotic expression of chromosome structure, 21–28
  pairing in a pentaploid hybrid, 11–20
  studies in the common shrew, 359–367
microhabitat choice in land snails, 449–454
minute-locus in *Drosophila melanogaster*, 51–57
model, two-locus, for estimating selfing rates, 289–297
molecular similarity of *Drosophila melanogaster*, 1–6
morph frequencies, variation between areas in a Hawaian spider, 67–74
  frequency in the polymorphic mangrove snail, 423–427
multilocus estimation of selfing rates, 343–347

non-random mating in the two-spot ladybird, 229–240

origin of B-genome of wheat, 455–463
  of double insertion, 265–267
outcrossing rates and plant density in *Phlox*, 81–89
ovipositing females, number of, in *Ceratitis capitata*, 59–66

pharmaceutical uses of borage as a seed crop, 249–259
phylogenetic raltionships in *Drosophila subobscura*, 269–275
polygenetic variation, stabilising selection for, 127–133
polymorphic mangrove snail, morph frequency in the, 423–427
polymorphism, effect of habitat preference on, 145–149
  in land snails, 449–454
  predator induced in *Danaus plexippus*, 401–406
polyploidization, effect of on fertility and cell volume in *Plantago media*, 349–357
population structure in *Ceratitis capitata*, 59–66

predator induced colour polymorphism in the Monarch butterfly, 401–406

quantitatively varying characters in barley, effect of major genes on, 259–264
quantitative traits in double haploid barley, 115–122

restriction endonuclease banding of *Tenebrio molitor* chromosomes, 157–162
RFLPS as genetic markers in *Vicia*, 329–341
ribosomal protein gene in *Drosophila melanogaster*, 51–57
Robertsonian fusion in chromosomes of *Gobius paganellus*, 151–155
role of G6PD in evolution of longevity, 29–38

salt tolerance and vigour in barley, 99–107
SC analysis of shrews, 359–367
selection and wing dimorphism in a cricket, 163–168
  during a selfing programme, 201–211, 213–220
  for protein and isozyme loci in double haploid barley, 115–122
  on body colour in a land snail, 123–126
selfing rates, joint estimation of, 289–297
  multilocus estimation of, 343–347
sex difference in recombination frequency in *Arabidopsis*, 379–383
sex-limited variability and mimicry in a butterfly, 109–114
single round of selection effects of, 201–211
spatial differentiation in populations of beechwoods, 407–417
spider migration, estimates of, 67–74
stabilising selection for polygenic variation, 127–133
synaptic alignment, response to different degrees of homology, 11–20

thermostable alleles of *Adh* in *Drosophila melanogaster*, 1–6
translocations in hexaploid wheat, 385–392
two or more rounds of selection, effects of, 213–220

variability, allozymic in beechwoods, 407–417
variation, allozymic in Louisiana irises, 297–305
  between populations of *Arrhenatherum elatius*, 179–188
  in heterochromatin in two *Anopheles* species, 135–142
  in wing pattern in the swallowtail butterfly, 109–114
  temporal in allele frequencies of *Encalyptus rhodantha*, 189–199
viability data in *Drosophila*, 39–46

wing dimorphism in the sand cricket, 163–168, 169–177